NOV.2015 **NEWS REPORT Vol.86**





Professional heavy duty "Bar Clamp & Spreader" "Hold-down clamps" has been joined to Muratec-KDS's lineup [[



Buffer jaw head





When used for welding, remove soft pad and replace with metal pad Options: MP-02 (Metal pads)



Specialty:

- 1) Aluminum alloy and steel bar
- 2) Capable for both CLAMPING and SPREADING
- 3) Max 350 kg (770 lbs) clamping power





Cat.No.	Capacity	Box	CTN	N.W.(kgs)	G.W.(kgs)	M3	EAN
MBC-150	150mm	6	12	11	13	0.026	4954183 539429
MBC-300	300mm			12	14	0.037	4954183 539436
MBC-450	450mm		6	14	16	0.020	4954183 539450
MBC-600	600mm			15	17	0.024	4954183 539481
MBC-1200	1200mm	4	12	20	22	0. 105	4954183 539498
MP-02 (Metal pads set)		12	12	2	3	0.010	_

Line up



Metal Bar Clamp

Bar Clamp & Spreader with aluminum alloy body and steel, forged parts.
Buffered jaw head with auto bounce-back action when tightened.
Carbon steel bar.

Jaw depth of 85mm with pads. Quick release trigger on the handle.

Clamping force up to 350kg / 770lbs

Metal Hold Down Clamp

Hold Down Clamp & Vise with aluminum alloy body and steel forging parts.

Carbon steel bar.

Jaw depth of 85mm with pads. Lever handle for easy release.

Clamping force up to 300kg / 660lbs





Metal Pipe Clamp

Professional Heavy Duty Pipe Clamp & Spreader with aluminum alloy body and steel, forged parts.

Pipe is not part of the product. (fits φ27.2mm,

Clamping force up to 1,000kg.

Metal Handy Clamp

Aluminum pressure adjusting power clamp. Cushioned jaw heads with auto bounce-back action when tighténed.




Metal Hold-Down Clamp



Why a "Hold-down" clamp?

Clamping power can be set and held at the same power level. Convenient for tentative and repetitive clamping, ideal for clamping delicate and soft objects.



Specialty:

- 1) Auminum alloy and steel bar
- 2) 300 kg (660 lbs) clamping power
- 3) Can be used as a WORKBENCH and a QUICK VISE with metal stands (MF-O1) and Rail base (R-O1) *0ptions *0ptions



For Both "Woodworkers" and "Welders"






Cat.No.	Capacity	QTY Box	QTY CTN	N.W.(kgs)	G.W.(kgs)	M3	EAN	
MWB-150	150mm	6	12	11	13	0.026	4954183	539511
MWB-300	300mm			12	14	0.037	4954183	539528
MWB-450	450mm			14	16	0.020	4954183	539535
MWB-600	600mm			15	17	0.024	4954183	539542
MF-01 (2 Metal stands)		12	12	1.5	2. 5	0.010		-
R-01 (2 Rai	0.5			1.5	0.010		-	
MP-02 (2 Metal pads)				2	3	0.010	_	

Q&A

Q: Why are Welders use clamps ??

A: It's for prevention of welding materials from warpages. Welding materials have to be fixed over 20 seconds. If not be good held, warpages will be there.



As pictured above, there is a warpage on the left side of the material because no clamping. Hence, welders need to use clamp for their jobs.

Q: Why is the KDS CLAMPS recommended for Welder's job site ??

1: Metal pads

Soft pads are worn on the Jaws of clamp as a standard equipment It can be removed and be replaced with METAL PADs.







Welders use weld rods in a flurry of sparks.

Metal pads hold a target object without damage.



2: Lightweight body from Aluminum alloy body.

The weight of MBC-150 (capacity: maximum 150mm) is 940g only.

It will supports worker's heavy duty task tirelessly.

Q: Doesn't the knob and release lever melt?

The knob and release lever are made of plastic. Welding sparks gives no damage to plastic parts. But, please do not fire up the knob and lever directly.







For further details, please contact with your counter personal at KDS.